



CONTENTS OF VOLUME 66

Issue 1

Papers

- 1 Characterization of insulin-loaded alginate nanoparticles produced by ionotropic pre-gelation through DSC and FTIR studies
B. SARMENTO, D. FERREIRA, F. VEIGA, A. RIBEIRO (Portugal)
- 8 Physical characterization of cassava starch biofilms with special reference to dynamic mechanical properties at low temperatures
L. FAMÁ, S. K. FLORES, L. GERSCHENSON, S. GOYANES (Argentina)
- 16 Characterization of crosslinked cashew gum derivatives
D. A. SILVA, J. P. A. FEITOSA, J. S. MACIEL, H. C. B. PAULA, R. C. M. DE PAULA (Brazil)
- 27 NMR structural elucidation of the arabinan from *Prunus dulcis* immunobiological active pectic polysaccharides
F. DOURADO, S. M. CARDOSO, A. M. S. SILVA, F. M. GAMA, M. A. COIMBRA (Portugal)
- 34 Anti-oxidation and anti-microorganism activities of purification polysaccharide from *Lygodium japonicum* in vitro
X. LI, A. ZHOU, Y. HAN (China)
- 43 Effects of degree of deacetylation and cross-linking on physical characteristics, swelling and release behavior of chitosan microspheres
K. C. GUPTA, F. H. JABRAIL (India)
- 55 Effect of degree of substitution on adsorption behavior of Basic Green 4 by highly crosslinked amphoteric starch with quaternary ammonium and carboxyl groups
X. SHIMEI, W. JINGLI, W. RONGLAN, W. JIDE (China)
- 60 Effect of fatty acid structure on the morphology of spherulites formed from jet cooked mixtures of fatty acids and defatted cornstarch
G. F. FANTA, F. C. FELKER, R. L. SHOGREN, J. H. SALCH (USA)
- 71 Comparative studies on α -amylases from malted maize (*Zea mays*), millet (*Eleusine coracana*) and Sorghum (*Sorghum bicolor*)
I. O. ADEWALE, E. N. AGUMANU, F. I. OTIH-OKORONKWO (Nigeria)
- 75 Inulin fructotransferase (DFA III-producing) from *Leifsonia* sp. T88-4
K. HARAGUCHI, M. YOSHIDA, K. OHTSUBO (Japan)
- 81 Thermo-mechanical processing of sugar beet pulp. I. Twin-screw extrusion process
A. ROUILLY, J. JORDA, L. RIGAL (France)
- 88 High-level production, purification and characterization of a thermostable β -mannanase from the newly isolated *Bacillus subtilis* WY34
Z. JIANG, Y. WEI, D. LI, L. LI, P. CHAI, I. KUSAKABE (China)
- 97 Changes in pore size distribution during the drying of cellulose fibers as measured by differential scanning calorimetry
S. PARK, R. A. VENDITTI, H. JAMEEL, J. J. PAWLAK (USA)

- 104 Solid state reaction of starch with thiosemicarbazide
P. SIEMION, J. KAPUŚNIAK, J. J. KOZIOŁ (Poland)
- 110 Study on the properties of ethylenebisformamide and sorbitol plasticized corn starch (ESPTPS)
J.-H. YANG, J.-G. YU, X.-F. MA (China)
- 117 Thermo-mechanical processing of sugar beet pulp. II. Thermal and rheological properties of thermoplastic SBP
A. ROUILLY, J. JORDA, L. RIGAL (France)
- 126 Kenaf xylan – A source of biologically active acidic oligosaccharides
M. K. NACOS, P. KATAPODIS, C. PAPPAS, D. DAFERERA, P. A. TARANTILIS, P. CHRISTAKOPOULOS, M. POLISSIOU (Greece)
- 135 Enzyme-catalyzed synthesis of hydrophobically modified starch
L. QIAO, Q.-M. GU, H. N. CHENG (USA)
- 141 Calendar
- 142 Bibliography

Issue 2

Papers

- 149 Structure of an anti-tumor polysaccharide from *Angelica sinensis* (Oliv.) Diels
W. CAO, X.-Q. LI, L. LIU, T.-H. YANG, C. LI, H.-T. FAN, M. JIA, Z.-G. LV, Q.-B. MEI (China)
- 160 Preparation and characterization of a novel xanthated chitosan
N. SANKARARAMAKRISHNAN, R. SANGHI (India)
- 168 Conversion of crystal structure of the chitin to facilitate preparation of a 6-carboxychitin with moisture absorption–retention abilities
L. SUN, Y. DU, J. YANG, X. SHI, J. LI, X. WANG, J. F. KENNEDY (China, UK)
- 176 Preparation and application of chitosan/poly(methacrylic acid) graft copolymer
K. F. EL-TAHLAWY, S. M. EL-RAFIE, A. S. ALY (Egypt)
- 184 An anticoagulative polysaccharide from an enzymatic hydrolysate of *Ecklonia cava*
Y. ATHUKORALA, W.-K. JUNG, T. VASANTHAN, Y.-J. JEON (Republic of Korea, Canada)
- 192 SEC-MALS study on aggregates of chitosan molecules in aqueous solvents: Influence of residual *N*-acetyl groups
M. YANAGISAWA, Y. KATO, Y. YOSHIDA, A. ISOGAI (Japan)
- 199 Polymorphism of curdlan and (1 → 3)- β -D-glucans synthesized in vitro: A ^{13}C CP-MAS and X-ray diffraction analysis
L. PELOSI, V. BULONE, L. HEUX (France)
- 208 Preparation of a low-molecular weight fraction by free radical depolymerization of the sulfated galactan from *Schizymenia binderi* (Gigartinales, Rhodophyta) and its anticoagulant activity
E. A. ZÚÑIGA, B. MATSUHIRO, E. MEJÍAS (Chile)
- 216 Effect of aeration and agitation rates and scale-up on oxygen transfer coefficient, k_La in exopolysaccharide production from *Enterobacter cloacae* WD7
C. BANDAIPHET, P. PRASERTSAN (Thailand)
- 229 Graft copolymerization, characterization, and degradation of cassava starch-*g*-acrylamide/itaconic acid super-absorbents
P. LANTHONG, R. NUISIN, S. KIATKAMJORNWONG (Thailand)
- 246 Study on adsorption behavior of crosslinked cationic starch maleate for chromium(VI)
G.-X. XING, S.-F. ZHANG, B.-Z. JU, J.-Z. YANG (China)
- 252 A β -glucan from the fruit bodies of edible mushrooms *Pleurotus eryngii* and *Pleurotus ostreatoroseus*
E. R. CARBONERO, A. H. P. GRACHER, F. R. SMIDERLE, F. R. ROSADO, G. L. SASSAKI, P. A. J. GORIN, M. IACOMINI (Brazil)

- 258 Thermal and pasting properties of native and acid-treated starches derivatized by 1-octenyl succinic anhydride
D. THIRATHUMTHAVORN, S. CHAROENREIN (Thailand)
- 266 Aggregates of alginates binding with surfactants of single and twin alkyl chains in aqueous solutions: Fluorescence and dynamic light scattering studies
B. REN, Y. GAO, L. LU, X. LIU, Z. TONG (China)
- 274 Synthesis and characterization of *N*-succinyl-chitosan and its self-assembly of nanospheres
Z. AIPING, C. TIAN, Y. LANHUA, W. HAO, L. PING (PR China)

Book Review

- 280 Chemical testing of textiles
S. RIO, J. F. KENNEDY (UK)
- 281 Calendar
- 282 Bibliography

Issue 3

Papers

- 289 Screening, characterization and flocculating property of carbohydrate polymer from newly isolated *Enterobacter cloacae* WD7
P. PRASERTSAN, W. DERMLIM, H. DOELLE, J. F. KENNEDY (Thailand, Australia, UK)
- 298 Electrospinning of hexanoyl chitosan
A. NEAMNARK, R. RUJIRAVANIT, P. SUPAPHOL (Thailand)
- 306 Structural and stoichiometric studies of complexes between aroma compounds and amylose. Polymorphic transitions and quantification in amorphous and crystalline areas
B. BIAIS, P. LE BAIL, P. ROBERT, B. PONTOIRE, A. BULÉON (France)
- 316 Removal of transition metals from alkaline suspensions of cellulose pulp using *CDTA* as chelating agent
E. NORKUS, J. VAIČIŪNIENĖ, T. VUORINEN (Lithuania, Finland)
- 321 Surface modification of chitosan for selective surface–protein interaction
A. SUBRAMANIAN, A. V. RAU, H. KALIGOTLA (USA)
- 333 Novel chitosan-based pH-sensitive interpenetrating network microgels for the controlled release of cefadroxil
K. S. V. KRISHNA RAO, B. VIJAYA KUMAR NAIDU, M. C. S. SUBHA, M. SAIRAM, T. M. AMINABHAVI (India)
- 345 Novel carbohydrate polymeric blend membranes in pervaporation dehydration of acetic acid
K. S. V. KRISHNA RAO, B. VIJAYA KUMAR NAIDU, M. C. S. SUBHA, M. SAIRAM, N. N. MALLIKARJUNA, T. M. AMINABAHVI (India)
- 352 Inter-chain and arrayed hydrogen bonds in β -1,3-D-xylan triple helix predicted by quantum mechanics calculation
K. MIYOSHI, K. UEZU, K. SAKURAI, S. SHINKAI (Japan)
- 357 Preparation of chitosan and its miscibility studies with gelatin using viscosity, ultrasonic and refractive index
K. C. BASAVARAJU, T. DAMAPPA, S. K. RAI (India)
- 363 Chitosan taurocholate capacity to bind lipids and to undergo enzymatic hydrolysis: An in vitro model
R. A. A. MUZZARELLI, F. ORLANDINI, D. PACETTI, E. BOSELLI, N. G. FREGA, G. TOSI, C. MUZZARELLI (Italy)
- 372 Graft copolymerization of chitosan with acrylic acid under microwave irradiation and its water absorbency
G. HUACAI, P. WAN, L. DENGKE (China)

- 379 New graft copolymers of hyaluronic acid and polylactic acid: Synthesis and characterization
F. S. PALUMBO, G. PITARRESI, D. MANDRACCHIA, G. TRIPODO, G. GIAMMONA (Italy)
- 386 MBA-crosslinked Na-Alg/CMC as a smart full-polysaccharide superabsorbent hydrogels
A. POURJAVADI, SH. BARZEGAR, G. R. MAHDAVINIA (Iran)
- 396 Study of gelatinization process and viscoelastic properties of cassava starch: Effect of sodium hydroxide and ethylene glycol diacrylate as cross-linking agent
P. T. MARQUES, C. PÉRÉGO, J. F. LE MEINS, R. BORSALI, V. SOLDI (Brazil, France)
- 408 Polysaccharides from *Enteromorpha compressa*: Isolation, purification and structural features
B. RAY (India)
- 417 Calendar
- 418 Bibliography

Issue 4

Papers

- 425 Influence of granule size on the flow behaviour of heated rice starch dispersions in excess water
J. C. JACQUIER, A. KAR, J. G. LYNG, D. J. MORGAN, B. M. MCKENNA (Ireland)
- 435 Post functionalization of carboxymethylated starch and acrylonitrile based networks through amidoximation for use as ion sorbents
G. S. CHAUHAN, S. C. JASWAL, M. VERMA (India)
- 444 Fine structure of a mixed-oligomer storage xyloglucan from seeds of *Hymenaea courbaril*
M. A. S. TINÉ, C. O. SILVA, D. U. D. LIMA, N. C. CARPITA, M. S. BUCKERIDGE (Brazil, USA)
- 455 Cell-cycle arrest and apoptosis induction in human breast carcinoma MCF-7 cells by carboxymethylated β -glucan from the mushroom sclerotia of *Pleurotus tuber-regium*
M. ZHANG, P. C.-K. CHEUNG, L. C.-M. CHIU, E. Y.-L. WONG, V. E.-C. OOI (China)
- 463 Dehydration of 1,4-dioxane by pervaporation using modified blend membranes of chitosan and nylon 66
B. SMITHA, G. DHANUJA, S. SRIDHAR (India)
- 473 The swelling behavior and network parameters of guar gum/poly(acrylic acid) semi-interpenetrating polymer network hydrogels
X. LI, W. WU, J. WANG, Y. DUAN (People's Republic of China)
- 480 Properties of biocomposites based on lignocellulosic fillers
L. AVÉROUS, F. LE DIGABEL (France)
- 494 Influence of incubation temperature and time on resistant starch type III formation from autoclaved and acid-hydrolysed cassava starch
C. ONYANGO, T. BLEY, A. JACOB, T. HENLE, H. ROHM (Germany)
- 500 Effects of Ca^{2+} crosslinking on structure and properties of waterborne polyurethane-carboxymethylated guar gum films
Y. HUANG, H. YU, C. XIAO (People's Republic of China)
- 514 Preparation of polymeric micelles based on chitosan bearing a small amount of highly hydrophobic groups
G.-B. JIANG, D. QUAN, K. LIAO, H. WANG (China)
- 521 Process optimization for the synthesis of octenyl succinyl derivative of waxy corn and amaranth starches
R. BHOSALE, R. SINGHAL (India)
- 528 Heterogeneity of lotus rhizome starch granules as revealed by α -amylase degradation
H.-M. LIN, Y.-H. CHANG, J.-H. LIN, J.-L. JANE, M.-J. SHEU, T.-J. LU (Taiwan, USA)
- 537 Effects of lignin content on the properties of lignocellulose-based biocomposites
F. LE DIGABEL, L. AVÉROUS (France)

Short Communication

- 546 Ionic liquids as solvents for biopolymers: Acylation of starch and zein protein
A. BISWAS, R. L. SHOGREN, D. G. STEVENSON, J. L. WILLETT, P. K. BHOWMIK (USA)
- 551 Calendar